

MATH 152, Spring 2022
EXAM II - VERSION **A**

LAST NAME(print): _____ FIRST NAME(print): _____

UIN: _____

INSTRUCTOR: _____

SECTION NUMBER: _____

DIRECTIONS:

1. No calculator, cell phones, or other electronic devices may be used, and they must all be put away out of sight.
2. TURN OFF cell phones and put them away. If a cell phone is seen during the exam, your exam will be collected and you will receive a zero.
3. In Part 1, mark the choice on your ScanTron using a No. 2 pencil. The scantrons will not be returned, therefore *for your own records, also record your choices on your exam!*
4. In Part 2, present your solutions in the space provided. *Show all your work* neatly and concisely and *clearly indicate your final answer*. You will be graded not merely on the final answer, but also on the quality and ness of the work leading up to it.
5. Be sure to *fill in your name, UIN, section number and version letter of the exam on the ScanTron form.*

THE AGGIE CODE OF HONOR

“An Aggie does not lie, cheat or steal, or tolerate those who do.”

Signature: _____

PART I: Multiple Choice. 4 points each.

1. Find the limit of the sequence $a_n = \arcsin\left(\frac{n+1}{1-2n}\right)$.

(a) $-\frac{\pi}{3}$

(b) $\frac{4\pi}{3}$

(c) $\frac{7\pi}{6}$

(d) $-\frac{\pi}{6}$

(e) $\frac{\pi}{2}$

2. Which of the following integrals are improper?

(I) $\int_0^1 \frac{1}{3x-1} dx$

(II) $\int_1^3 \ln(x-1) dx$

(III) $\int_{-\infty}^1 \frac{1}{x^4} dx$

(a) (III) only

(b) (I) and (III) only

(c) (II) and (III) only

(d) (I) and (II) only

(e) All of them are improper.

3. The sequence $a_n = \frac{1}{3} \ln(4+2n) - \frac{1}{3} \ln(4n+1)$

(a) Converges to $\frac{1}{3} \ln\left(\frac{1}{2}\right)$

(b) Diverges

(c) Converges to 0

(d) Converges to $\frac{1}{3} \ln(4)$

(e) Converges to $\frac{1}{3} \ln(2)$

4. Which of the following series diverges by the Test for Divergence?

(a) $\sum_{n=1}^{\infty} \ln\left(\frac{n}{n+1}\right)$

(b) $\sum_{n=1}^{\infty} \sin\left(\frac{1}{n}\right)$

(c) $\sum_{n=1}^{\infty} \frac{(-1)^n n}{n^2 + 1}$

(d) $\sum_{n=1}^{\infty} e^{-n}$

(e) Test for Divergence fails for all of the above series.

5. $\int \frac{x^3 + x}{x - 1} dx =$

(a) $\frac{x^3}{3} + \frac{x^2}{2} + 2x - 2 \ln|x - 1| + C$

(b) $\frac{x^3}{3} - \frac{x^2}{2} + 2x + 2 \ln|x - 1| + C$

(c) $\frac{x^3}{3} + \frac{x^2}{2} + 2x + 2 \ln|x - 1| + C$

(d) $\frac{x^3}{3} + \frac{x^2}{2} - 2x + 2 \ln|x - 1| + C$

(e) $\frac{x^3}{3} - \frac{x^2}{2} + 2x - 2 \ln|x - 1| + C$

6. Evaluate $\int_1^{\infty} \frac{e^{2/x}}{x^2} dx$.

(a) $-\frac{1}{2}(1 - e^2)$

(b) $2(1 - e^2)$

(c) $-2(1 - e^2)$

(d) $\frac{1}{2}(1 - e^2)$

(e) $\frac{1}{2}e^2$

7. Which of the following statements is/are true for the sequences shown below?

(I) $a_n = \cos\left(\frac{1}{n}\right)$

(II) $a_n = \frac{\cos(n)}{n}$

- (a) (I) converges to 0, and (II) converges to zero.
- (b) (I) converges to 1, and (II) diverges
- (c) (I) diverges, and (II) converges to zero.
- (d) (I) converges to 1, and (II) converges to zero.
- (e) Both diverge

8. After an appropriate trigonometric substitution, $\int \frac{dx}{\sqrt{x^2 + 8x + 41}}$ is equivalent to which of the following?

(a) $\frac{1}{5} \int \cos(\theta) d\theta$

(b) $\int \sec(\theta) d\theta$

(c) $\int \sec^2(\theta) d\theta$

(d) $\int \tan(\theta) d\theta$

(e) $\frac{1}{5} \int \sin(\theta) d\theta$

9. Which of the following is a proper Partial Fraction Decomposition for $\frac{x+1}{(x^2-16)(x-3)^2(x^2+1)}$?

(a) $\frac{x+1}{(x^2-16)(x-3)^2(x^2+1)} = \frac{Ax+B}{x^2-16} + \frac{C}{x-3} + \frac{D}{(x-3)^2} + \frac{Ex+F}{x^2+1}$

(b) $\frac{x+1}{(x^2-16)(x-3)^2(x^2+1)} = \frac{A}{x-4} + \frac{B}{x+4} + \frac{C}{x-3} + \frac{D}{(x-3)^2} + \frac{Ex+F}{x^2+1}$

(c) $\frac{x+1}{(x^2-16)(x-3)^2(x^2+1)} = \frac{Ax+B}{x^2-16} + \frac{Cx+D}{(x-3)^2} + \frac{Ex+F}{x^2+1}$

(d) $\frac{x+1}{(x^2-16)(x-3)^2(x^2+1)} = \frac{A}{x-4} + \frac{B}{x+4} + \frac{C}{x-3} + \frac{D}{(x-3)^2} + \frac{E}{x^2+1}$

(e) $\frac{x+1}{(x^2-16)(x-3)^2(x^2+1)} = \frac{A}{x-4} + \frac{B}{(x-4)^2} + \frac{C}{x-3} + \frac{D}{(x-3)^2} + \frac{Ex+F}{x^2+1}$

10. Which of the following statements is true regarding the improper integral $\int_1^{\infty} \frac{\cos^2 x + 5}{x^4} dx$?

- (a) It converges since $\int_1^{\infty} \frac{\cos^2 x + 5}{x^4} dx \leq \int_1^{\infty} \frac{5}{x^4} dx$, which converges.
- (b) It converges since $\int_1^{\infty} \frac{\cos^2 x + 5}{x^4} dx \leq \int_1^{\infty} \frac{1}{x^4} dx$, which converges.
- (c) It converges since $\int_1^{\infty} \frac{\cos^2 x + 5}{x^4} dx \leq \int_1^{\infty} \frac{6}{x^4} dx$, which converges.
- (d) It converges to zero.
- (e) It diverges by oscillation.

11. After an appropriate trigonometric substitution, $\int_{2\sqrt{2}}^4 \frac{\sqrt{x^2 - 4}}{x} dx$ is equivalent to

(a) $2 \int_{\pi/4}^{\pi/3} \tan^2 \theta d\theta$

(b) $\int_{\pi/4}^{\pi/3} \sin(\theta) d\theta$

(c) $2 \int_{\pi/4}^{\pi/6} \tan^2 \theta d\theta$

(d) $\int_{\pi/4}^{\pi/6} \sin(\theta) d\theta$

(e) None of the above

12. Consider the recursive sequence $a_1 = 2$, $a_{n+1} = 5 - \frac{4}{a_n}$. Given the sequence is increasing and bounded, find the limit.

(a) 1

(b) $\frac{5}{2}$

(c) 2

(d) 4

(e) 5

13. $\sum_{n=1}^{\infty} \frac{(-3)^{n+1}}{4^n} =$

(a) 9

(b) $\frac{2}{3}$

(c) $-\frac{12}{7}$

(d) $\frac{9}{7}$

(e) -12

14. Suppose $s_n = \frac{3n+4}{2n+2}$ is the sequence of partial sums for the series $\sum_{n=1}^{\infty} a_n$. Find $\sum_{n=1}^{\infty} a_n$ and a_4 .

(a) $\sum_{n=1}^{\infty} a_n = \frac{3}{2}$ and $a_4 = -\frac{1}{60}$

(b) $\sum_{n=1}^{\infty} a_n = \frac{3}{2}$ and $a_4 = -\frac{129}{40}$

(c) $\sum_{n=1}^{\infty} a_n = 2$ and $a_4 = -\frac{1}{40}$

(d) $\sum_{n=1}^{\infty} a_n = \frac{3}{2}$ and $a_4 = -\frac{1}{40}$

(e) $\sum_{n=1}^{\infty} a_n = 2$ and $a_4 = -\frac{1}{60}$

True or False. On your scantron, bubble 'a' if true and bubble 'b' if false. One point each.

15. If $\lim_{n \rightarrow \infty} s_n = 1$, then $\sum_{n=1}^{\infty} a_n$ diverges.

16. If $\lim_{n \rightarrow \infty} a_n = 0$, then $\sum_{n=1}^{\infty} a_n$ converges.

17. The geometric series $\sum_{n=2}^{\infty} ar^{n-1}$ converges if $|r| < 1$.

18. Given $f(x)$ and $g(x)$ are continuous, positive functions on the interval $[a, \infty)$ and $f(x) \geq g(x)$ on the interval $[a, \infty)$.

If $\int_a^{\infty} g(x) dx$ diverges, so does $\int_a^{\infty} f(x) dx$.

PART II: Free Response: Show all work and box your final answer!

19. (10 pts) Find $\int \frac{x+2}{x^2(x^2+1)} dx$

20. (10 pts) Find $\int \frac{x^2}{\sqrt{4-x^2}} dx$

21. Consider the series $\sum_{n=1}^{\infty} \frac{1}{(n+1)[\ln(n+1)]^2}$

(a) (6 pts) Prove the series converges.

(b) (4 pts) Using the Remainder Estimate for the Integral Test, find an upper bound on the remainder, R_8 , if we used s_8 , the 8th partial sum, to approximate the sum of the series.

22. Consider the series $\sum_{n=1}^{\infty} \frac{4}{n(n+2)}$

(a) (6 pts) Find a formula for s_n , the n^{th} partial sum.

(b) (4 pts) Find the sum of the series.

DO NOT WRITE IN THIS TABLE.

Question	Points Awarded	Points
1-18		60
19		10
20		10
21		10
22		10
		100